


Oil Pattern Distance	40	Reverse Brush Drop	38	Oil Per Board	Multi ul
Forward Oil Total	15.46 mL	Reverse Oil Total	9.945 mL	Volume Oil Total	25.405 mL
Tank Configuration	Only A	Tank A Conditioner	Fire	Tank B Conditioner	Ice

	START	STOP	LOADS	MICS	SPEED	CROSSED	START	END	FEET	T.OIL
1	2L	2R	4	40	18	148	0.0	7.6	7.6	5920
2	6L	8R	2	40	18	54	7.6	12.7	5.1	2160
3	7L	9R	2	45	18	50	12.7	17.8	5.1	2250
4	9L	11R	3	45	18	63	17.8	25.4	7.6	2835
5	11L	13R	3	45	18	51	25.4	33.0	7.6	2295
6	2L	2R	0	45	18	0	33.0	34.0	1.0	0
7	2L	2R	0	45	22	0	34.0	40.0	6.0	0

	START	STOP	LOADS	MICS	SPEED	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	45	26	0	40.0	38.0	-2.0	0
2	2L	2R	0	45	18	0	38.0	30.0	-8.0	0
3	13L	10R	2	45	18	36	30.0	24.9	-5.1	1620
4	11L	8R	2	45	18	44	24.9	19.8	-5.1	1980
5	9L	7R	2	45	18	50	19.8	14.7	-5.1	2250
6	8L	6R	2	45	14	54	14.7	10.8	-3.9	2430
7	2L	2R	1	45	14	37	10.8	8.9	-1.9	1665
8	2L	2R	0	45	14	0	8.9	0.0	-8.9	0



Cleaner Ratio Main Mix: NA Forward
 Cleaner Ratio Back End Mix: NA Reverse
 Cleaner Ratio Back End Distance: NA Combined
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100

--

Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	3.94	1.37	1	1	1.37	3.88

