

Oil Pattern Distance	39	Reverse Brush Drop	30	Oil Per Board	50 uL
Forward Oil Total	20.25 mL	Reverse Oil Total	6.8 mL	Volume Oil Total	27.05 mL
Tank Configuration	N/A	Tank A Conditioner	FIRE	Tank B Conditioner	TERRAIN

	START	STOP	LOADS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	6	10	A	222	0.0	7.0	7.0	11100
2	4L	4R	2	14	A	66	7.0	10.9	3.9	3300
3	5L	5R	1	14	A	31	10.9	12.8	1.9	1550
4	6L	6R	1	18	A	29	12.8	15.3	2.5	1450
5	9L	9R	1	18	A	23	15.3	17.8	2.5	1150
6	11L	11R	1	18	A	19	17.8	20.3	2.5	950
7	13L	13R	1	18	A	15	20.3	22.8	2.5	750
8	2L	2R	0	22	A	0	22.8	33.0	10.2	0
9	2L	2R	0	26	A	0	33.0	39.0	6.0	0

	START	STOP	LOADS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	30	A	0	39.0	21.0	-18.0	0
2	15L	15R	1	22	A	11	21.0	17.9	-3.1	550
3	13L	13R	1	22	A	15	17.9	14.8	-3.1	750
4	11L	11R	1	18	A	19	14.8	12.3	-2.5	950
5	9L	9R	1	18	A	23	12.3	9.8	-2.5	1150
6	5L	5R	1	18	A	31	9.8	7.3	-2.5	1550
7	2L	2R	1	14	A	37	7.3	5.4	-1.9	1850
8	2L	2R	0	14	A	0	5.4	0.0	-5.4	0

Cleaner Ratio Main Mix NA Forward
 Cleaner Ratio Back End Mix NA Reverse
 Cleaner Ratio Back End Distance NA Combined
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	1.86	1.32	1.02	1.02	1.32	1.86

