



Oil Pattern Distance	40	Reverse Brush Drop	33	Oil Per Board	50 ul
Forward Oil Total	15.6 mL	Reverse Oil Total	9.6 mL	Volume Oil Total	25.2 mL
Tank Configuration	Multi Tank	Tank A Conditioner	Terrain	Tank B Conditioner	Fire

	START	STOP	LOADS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	5	18	A	185	0.0	10.2	10.2	9250
2	6L	6R	1	18	A	29	10.2	12.7	2.5	1450
3	8L	7R	1	18	A	26	12.7	15.2	2.5	1300
4	10L	9R	1	18	A	22	15.2	17.7	2.5	1100
5	14L	13R	2	18	A	28	17.7	22.8	5.1	1400
6	15L	15R	2	18	A	22	22.8	27.9	5.1	1100
7	2L	2R	0	26	A	0	27.9	40.0	12.1	0

	START	STOP	LOADS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	30	A	0	40.0	24.0	-16.0	0
2	11L	11R	1	22	B	19	24.0	20.9	-3.1	950
3	11L	11R	2	18	B	38	20.9	15.8	-5.1	1900
4	7L	7R	1	18	B	27	15.8	13.3	-2.5	1350
5	2L	5R	1	18	A	34	13.3	10.8	-2.5	1700
6	2L	2R	2	14	B	74	10.8	6.9	-3.9	3700
7	2L	2R	0	14	A	0	6.9	0.0	-6.9	0



Cleaner Ratio Main Mix: NA Forward
 Cleaner Ratio Back End Mix: NA Reverse
 Cleaner Ratio Back End Distance: NA Combined
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	2.21	1.48	1.07	1.04	1.46	2.26

